

TIPPERS

63/27 Rear cabin oil tank solution with shelf mounting system

Mounting kit available:




Materials available:

A

Aluminium

F

Painted Steel
RAL 7021




Product range	L*	Features included	Filter Flange Code	Dimensions Only tank L x H x W	Material	Product code NKOA: Aluminum NKOF: Painted steel	Rear mounting kit code
63/27	110	- spy eye 1" - bottom suction connection 1" 1/4 - return connection 1" - air breather cap h 69mm 1800l/min - adjustable ball valve 1" 1/4	135	700 x 638 x 270	A/F	- 0110070XT20	Included
	135			860 x 638 x 270		- 0135086XT20	

* Full tank capacity

TIPPERS

Mounting specifics

A	Level indicator capacity
(mm)	(l)
700	099
860	123



Shelf rear mounting kit with stainless steel straps

TIPPERS

Return filter (optional)

	Filter Flange	l/min flow	Micron / μm	Inlet Connection	Product Code	Spare Parts Code
	135	250 L/min	40 μm microfibre	1" 1/4	AFO0SEM136125CF	AFO0ELF205070CF
		200 L/min	21 μm microfibre	1" 1/4	AFO0SEM136125F2	AFO0ELF205070F2
		220 L/min	40 μm microfibre	1"	AFO0IMM134100CF	AFO0ELF205070CF
		180 L/min	21 μm microfibre	1"	AFO0IMM134100F2	AFO0ELF205070F2

Filter's clogging visual indicator

	Products Range	Description	Specifics	Product Code	Spare Parts Code
	Oil tank	Filter's clogging visual indicator	R 1/8" - EN 10226	AI10MPF195VSR42	/

TIPPERS

Pipe fittings

	Products Range	Description	Specifics	Product Code	Spare Parts Code
	Oil tanks	Straight pipe fitting ø40mm hose inox band and sealing	1" 1/4	ARA0PDNPGM12500	/
		Straight pipe fitting ø50mm hose inox band and sealing	1" 1/4	ARA0PDNPGM12000	
	Oil tanks	45° adjustable pipe fitting ø50mm hose inox band and sealing	1" 1/4	ARA0PDNPGM12025	/
		45° adjustable pipe fitting ø40mm hose inox band and sealing	1" 1/4	ARA0PDNPGM12525	
	Oil tanks	90° adjustable pipe fitting ø40mm hose inox band and sealing	1" 1/4	ARA0PDNPGM12025	/
		90° adjustable pipe fitting ø50mm hose inox band and sealing	1" 1/4	ARA0PDNPGM12025	

Adjustable fittings

	Oil tanks	90° adjustable fitting M/F	1" 1/4	ARA0PDNFLT12550	/
---	-----------	----------------------------	--------	-----------------	---