

CRANE

T20 Sidewalls oil tank solution with support brackets



Mounting kit available:


LAT

Materials available:

A

F

Aluminium Painted Steel
RAL 7021






Product range	L*	Features included	Filter flange code	Dimensions (oil tank) L x H x W	Material	Product code NKOA: Aluminum NKOF: Painted steel	Side mounting kit code
T20	100	- level gauge 254mm with thermometer - suction connection 2" - return connection 3/8" - bottom drain line 3/4"	195	400 x 500 x 640	A/F	- 0100040XC00	Included
	150	- air breather cap h 43mm 1400l/min - adjustable ball valve 2"		570 x 500 x 640		- 0150057XC00	
	200	- level gauge 254mm with thermometer - 2 x suction connection 2" 1/2 - return connection 3/8" - bottom drain line 3/4"		750 x 500 x 640		- 0200075XC00	
	250	- air breather cap h 43mm 1400l/min - adjustable ball valve 2" 1/2		930 x 500 x 640		- 0250093XC00	

* Full tank capacity

CRANE



Mounting specifics

A	Level indicator capacity
(mm)	(l)
400	94-44
570	137-64
750	183-86
930	228-107




CRANE



Return filter (optional)

	Filter Flange	l/min flow	Micron / μm	Inlet Connection	Product Code	Spare Parts Cartridge
	195	250	21 μm microfibre	1" 1/4	AFO0SEM195125F2	AFO0ELF211099F2
		250	21 μm microfibre	1" 1/4 + 3/4"	AFO0SEM195225F2	AFO0ELF211099F2
	195	350	10 μm microfiber	1" 1/2 + 1" 1/4	AFO0MPF19502F10	AFO0ELF190105F1

Filter's clogging visual indicator

	Products Range	Description	Specifics	Product Code	Spare Parts Code
	Oil tank	Filter's clogging visual indicator	R 1 1/8" - EN 10226	AI10MPF195VSR42	/

Pipe fittings

	Products Range	Description	Specifics	Product Code	Spare Parts Code
	Oil tanks	Straight pipe fitting \varnothing 65mm hose inox band and sealing	2"	ARA0PDNPGM20000	/
		Straight pipe fitting, \varnothing 64mm hose, inox band and sealing	2" 1/2	ARA0PDNPGM25000	
		Straight pipe fitting, \varnothing 75mm hose, inox band and sealing	2" 1/2	ARA0PDNPGM25010	
	Oil tanks	90° adjustable pipe fitting, \varnothing 50mm hose, inox band and sealing	2"	ARA0PDNPGM20150	/
		90° adjustable pipe fitting, \varnothing 65mm hose, inox band and sealing	2"	ARA0PDNPGM20050	
		90° adjustable pipe fitting, \varnothing 65-50mm hose and sealing	2" 1/2	ARA0PDNPGM25050	